

Google scholar

interrupt + (threshold OR priority) + "thread pri

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)

Scholar

Articles and patents ▾

anytime ▾

include citations ▾

Results 1 - 10 of about 929. (0.19 sec)

Interrupts as threads

S Kleiman, J Eykholt - ACM SIGOPS Operating Systems Review, 1995 - portal.acm.org

... Kernel threads use synchronization primitives that support protocols for preventing **priority** inversion, so a **thread's priority** is determined by which activities it is ... If an **interrupt** thread encounters a locked synchronization variable, it blocks and allows the critical section to clear. ...

Cited by 29 - Related articles - BL Direct - All 3 versions

[CITATION] IBM Power5 chip: A dual-core multithreaded processor

psu.ed

R Kalla, B Sinharoy, JM Tendler - IEEE micro, 2004

Cited by 339 - Related articles - BL Direct - All 38 versions

[CITATION] Priority inversions in real-time communication

H Tokuda, CW Mercer, Y Ishikawa, TE Marchok - Real Time Systems Symposium, ..., 1989

Cited by 45 - Related articles - All 2 versions

Apparatus and method for interrupt handling in a multi-threaded operating system ...

SR Kleiman - US Patent 5,515,538, 1996 - Google Patents

... The kernel makes use of preprepared **interrupt** handler threads for additional efficiency, and these **interrupt** handler threads are not subjected to inordinate delays caused by the phenomenon of **interrupt priority** inversion if they do become blocked. ...

Cited by 54 - Related articles - All 2 versions

Evaluation of real-time synchronization in real-time mach

psu.ed

H Tokuda, T Nakajima - Proceedings of the USENIX Mach Symposium, 1991 - usenix.org

... Basic **Priority** (BP): All operations of this policy object are null functions. The waiting threads are enqueued in the lock object based on the **thread's priority**. ... **Interrupt** handler can be interrupted by a higher **priority interrupt**. C^{TM} , Δ is the time to wakeup a blocked thread. ...

Cited by 58 - Related articles - All 8 versions

[PDF] CPU inheritance scheduling

psu.ed

B Ford, SR Susarla - ACM SIGOPS Operating Systems Review, 1996 - Citeseer

... necessary to implement this framework does not have any notion of **thread priority**, CPU usage ... For example, a fixed-**priority** multi-processor scheduling policy can be implemented by main ... while waiting for an interesting event such as quantum expiration (eg, a clock **interrupt**). ...

Cited by 168 - Related articles - View as HTML - BL Direct - All 25 versions

[PDF] Using Windows NT for real-time applications: Experimental observations ...

psu.ed

K Ramamritham, C Shen, O González, S Sen, ... - Proceedings of the ..., 1998 - Citeseer

... threads are allowed to mask and unmask **interrupts**, even an unimportant **interrupt** can adversely ... Our experiments were targeted towards the behavior of threads at REALTIME **priority** class and ... To this end, we used two threads both with same **thread priority** in the REALTIME ...

Cited by 67 - Related articles - View as HTML - All 28 versions

Mach: a system software kernel

psu.ed

RF Rashid, H Tokuda - Computing Systems in Engineering, 1990 - Elsevier

... It contains no built-in file system or other higher level facilities which could interfere with **interrupt** handling or real-time ... When a higher **priority** thread blocks on the lock primitive, the current running lower **priority** thread will inherit the blocked **thread's priority** while running in ...

Cited by 99 - Related articles - All 38 versions

[PDF] An ORB endsystem architecture for statically scheduled real-time ...

psu.ed

DC Schmidt, R Bector, D Levine, S Mungee, G ... - Proceedings of the ..., 1997 - Citeseer

... To minimize **priority** inversion, the I/O threads perform protocol processing tasks for the ... Figure 6 illustrates how **thread-priority** inversions are alleviated in TAO's I/O subsystem by ... threads and STREAMS protocol kthreads and minimizing the work done in the **interrupt** context. ...

[Cited by 42](#) - [Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[PDF] SunOS multi-thread architecture

psu.edu

ML Powell, SR Kleiman, S Barton, D Shah, D ... - Proceedings of the ..., 1991 - Citeseer
... each thread: Thread ID Register state (including PC and stack pointer) Stack Signal mask **Priority**
Thread-local ... As each new **interrupt** comes in, another thread is chosen to handle the signal until
all ... The initial **thread priority** and signal mask is set to the same values as its creator ...

[Cited by 144](#) - [Related articles](#) - [View as HTML](#) - [All 94 versions](#)

Go

oooooooooooo

ogle ▶

Result Page:

1

2

3

4

5

6

7

8

9

10

Next

interrupt + (threshold OR priority) + '

Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

Google scholar

interrupt + (global OR universal) + (threshold C

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)

Scholar

Articles and patents ▾

anytime ▾

include citations ▾

Results 1 - 10 of about 570. (0.14 sec)

Interrupts as threads

S Kleiman, J Eykholt - ACM SIGOPS Operating Systems Review, 1995 - portal.acm.org

... the relative **priority** of pro- cesses within the class, and converts that **priority** to a **global priority**. ...
 kernel has been made preemptable to better sup- port the real-time class and **interrupt** threads ...
 means that a lamnable thread rims as soon as is practical after its **priority** becomes **high** ...

Cited by 29 - Related articles - BL Direct - All 3 versions

[CITATION] The design and performance of a real-time I/O subsystem

F Kuhns, DC Schmidt, DL Levine - ... Symposium, 1999. Proceedings of the Fifth IEEE, 1999

Cited by 68 - Related articles - All 24 versions

psu.ed

Apparatus and method for interrupt handling in a multi-threaded operating system ...

SR Kleiman - US Patent 5,515,538, 1996 - Google Patents

... of a process or its "state" is defined as: its text, values of **global** user variables ... As a result of using
interrupt handler threads for the entire **interrupt** processing task, and as a ... by other threads, **priority**
 inversion is possible (ie, a lower **priority** activity blocking a **higher priority** activity). ...

Cited by 54 - Related articles - All 2 versions

Vassal: Loadable scheduler support for multi-policy scheduling

GM Candea, MB Jones - Proceedings of the 2nd USENIX Windows NT ..., 1998 - unix.org

... the primary scheduling policy, which is a **priority** scheduler, with round-robin execution within
 each **priority**. ... However, this **global** scheduler may reclaim the CPU from any given strand, therefore
 no ... Layer (HAL), which does not provide an interface to cause an **interrupt** at a ...

Cited by 54 - Related articles - All 31 versions

psu.ed

[PDF] A library implementation of POSIX threads under UNIX

F Mueller - Proceedings of the USENIX Conference, 1993 - Citeseer

... When the thread regains control it will return from the **universal** signal handler, enable
 all signals again, and return to the UNIX **interrupt** frame which will restore the **global** state
 (**global** registers, floating point registers, and the the status word). ...

Cited by 222 - Related articles - View as HTML - All 35 versions

psu.ed

Real time thread dispatcher for multiprocessor applications

JE Zolnowsky - US Patent 5,826,081, 1998 - Google Patents

... selected for execution, the processor proceeds to verify against threads in the **global** real time ...
interrupt routines, the holder of the schedule lock runs at an elevated **interrupt** level ... hold unbound
 real time threads with **priority higher** than some predetermined **threshold priority** level ...

Cited by 23 - Related articles - All 4 versions

[CITATION] Adaptive rate-controlled scheduling for multimedia applications

DKY Yau, SS Lam - IEEE/ACM transactions on networking, 1997

Cited by 119 - Related articles - BL Direct - All 19 versions

psu.ed

[PDF] An ORB endsystem architecture for statically scheduled real-time ...

DC Schmidt, R Bector, D Levine, S Mungee, G ... - Proceedings of the ..., 1997 - Citeseer

... integrated with TAO's ORB-level thread-per-rate concurrency model to alle- viate scheduling
 hazards such as **priority** inversion and ... The **global** priorities of all threads in this RTIO class are
higher than those of all other scheduling classes, except those of the **Interrupt** class. ...

Cited by 42 - Related articles - View as HTML - All 3 versions

psu.ed

[PDF] Using Windows NT for real-time applications: Experimental observations ...

K Ramamritham, C Shen, O González, S Sen, ... - Proceedings of the ..., 1998 - Citeseer

psu.ed

... 2. The device completes the I/O operation and interrupts. The device driver then services the **interrupt**. ... This is a process running at the highest real-time **priority**. ... It initializes **global** events on the operator side and spawns 2 processes: 1. Heartbeat timer. 2. Main operator process. ...

[Cited by 67](#) - [Related articles](#) - [View as HTML](#) - [All 28 versions](#)

Evaluation of real-time synchronization in real-time mach

H Tokuda, T Nakajima - Proceedings of the USENIX Mach Symposium, 1991 - [usenix.org](#)

... rtjmutex-policy-acquired checks the ceiling priority of locks in the **global** lock queues ... For instance, **priority** ceiling algorithm is separated into **priority** inheritance management and **priority** ceiling management part ...
cnonlftt Cy_I.ft Thre«dB ¼}^¼ Q ¼¼ **Interrupt** handler C C IfiCJtár ...

[Cited by 58](#) - [Related articles](#) - [All 8 versions](#)

[psu.edu](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

interrupt + (global OR universal) + (t

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google

Google scholar

interrupt + (global OR universal) + (threshold C

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)

Scholar

Articles and patents ▾

anytime ▾

include citations ▾

Results 1 - 10 of about 583. (0.17 sec)

Interrupts as threads

S Kleiman, J Eykholt - ACM SIGOPS Operating Systems Review, 1995 - portal.acm.org

... support protocols for preventing **priority** inversion, so a **thread's priority** is determined by which activities it is ... relative **priority** of pro- cesses within the class, and converts that **priority** to a **global priority**. ... made preemptable to better sup- port the real-time class and **interrupt** threads. ...

Cited by 29 - Related articles - BL Direct - All 3 versions

[CITATION] The design and performance of a real-time I/O subsystem

F Kuhns, DC Schmidt, DL Levine - ... Symposium, 1999. Proceedings of the Fifth IEEE, 1999

Cited by 68 - Related articles - All 24 versions

psu.ed

Apparatus and method for interrupt handling in a multi-threaded operating system ...

SR Kleiman - US Patent 5,515,538, 1996 - Google Patents

... to inordinate delays caused by the phenomenon of **interrupt priority** inversion if ... REG %I4 COMMON TRAP ENTRY: • FIND KERNEL STACK • SAVE **GLOBAL** REGISTERS • CHECK WINDOW OVERFLOW (SAVE IF REQUIRED) COMMON **INTERRUPT** CODE: • CHECK ...

Cited by 54 - Related articles - All 2 versions

Vassal: Loadable scheduler support for multi-policy scheduling

GM Candea, MB Jones - Proceedings of the 2nd USENIX Windows NT ..., 1998 - unix.org

... the primary scheduling policy, which is a **priority** scheduler, with round-robin execution within each **priority**. ... However, this **global** scheduler may reclaim the CPU from any given strand, therefore no ... Layer (HAL), which does not provide an interface to cause an **interrupt** at a ...

Cited by 54 - Related articles - All 31 versions

psu.ed

[PDF] An ORB endsystem architecture for statically scheduled real-time ...

DC Schmidt, R Bector, D Levine, S Mungee, G ... - Proceedings of the ..., 1997 - Citeseer

... integrated with TAO's ORB-level thread-per-rate concurrency model to alle- viate scheduling hazards such as **priority** inversion and ... The **global** priorities of all threads in this RTIO class are higher than those of all other scheduling classes, except those of the **Interrupt** class. ...

Cited by 42 - Related articles - View as HTML - All 3 versions

psu.ed

[PDF] A library implementation of POSIX threads under UNIX

F Mueller - Proceedings of the USENIX Conference, 1993 - Citeseer

... When the thread regains control it will return from the **universal** signal handler, enable all signals again, and return to the UNIX **interrupt** frame which will restore the **global** state (**global** registers, floating point registers, and the the status word). ...

Cited by 222 - Related articles - View as HTML - All 35 versions

psu.ed

[CITATION] Adaptive rate-controlled scheduling for multimedia applications

DKY Yau, SS Lam - IEEE/ACM transactions on networking, 1997

Cited by 119 - Related articles - BL Direct - All 19 versions

psu.ed

Real time thread dispatcher for multiprocessor applications

JE Zoinowsky - US Patent 5,826,081, 1998 - Google Patents

... selected for execution, the processor proceeds to verify against threads in the **global** real time ... **interrupt** routines, the holder of the schedule lock runs at an elevated **interrupt** level ... hold unbound real time threads with **priority** higher than some predetermined **threshold priority** level ...

Cited by 23 - Related articles - All 4 versions

[PDF] Using Windows NT for real-time applications: Experimental observations ...

K Ramamritham, C Shen, O González, S Sen, ... - Proceedings of the ..., 1998 - Citeseer

psu.ed

... 2. The device completes the I/O operation and interrupts. The device driver then services the **interrupt**. ... This is a process running at the highest real-time **priority**. ... It initializes **global** events on the operator side and spawns 2 processes: 1. Heartbeat timer. 2. Main operator process. ...

[Cited by 67](#) - [Related articles](#) - [View as HTML](#) - [All 28 versions](#)

Fine-grain adaptive scheduling using feedback

H Massalin, C Pu - Computing Systems, 1989 - [usenix.org](#)

... In fact, a **global** adaptive scheduling algorithm may lower the **priority** of a CPU-intensive stage, making it the bottleneck and slowing down the whole pipeline. ... When the CPU quantum is exhausted, timer **interrupt** branches to the switch-out procedure in ...

[Cited by 58](#) - [Related articles](#) - [All 10 versions](#)

131.101

Google

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

interrupt + (global OR universal) + (t Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google

Google scholar

trap + thread + (pending OR scheduling OR de

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)

Scholar

Articles and patents ▾

anytime ▾

include citations ▾

Results 1 - 10 of about 19,100. (0.17 sec)

[CITATION] Niagara: A 32-way multithreaded sparc processor

psu.ed

P Kongetira, K Aingaran, K Olukotun - IEEE micro, 2005

[Cited by 602](#) - [Related articles](#) - [All 49 versions](#)**APRIL: a processor architecture for multiprocessing**

dtic.mi

A Agarwal, BH Lim, D Kranz, J ... - Proceedings of the 17th ..., 1990 - portal.acm.org

... This simpli- fies processor design considerably because context switches can be more expensive (4 to 10 cycles), and functionality such as **scheduling** can be migrated into run-time software. ... The **trap** handler executes in the same task frame as the **thread** that trapped so ...

[Cited by 466](#) - [Related articles](#) - [All 18 versions](#)**Lightweight remote procedure call**

psu.ed

BN Bershad, TE Anderson, ED Lazowska, ... - ACM Transactions on ..., 1990 - portal.acm.org

... invoke Null() as a cross-domain operation involves one procedure call, followed by a kernel **trap** and change of the proces- sor's virtual memory context on call, and then a **trap** and context ... the general, slower **scheduling** path; instead, if the two concrete **threads** cooper- ating ...

[Cited by 462](#) - [Related articles](#) - [All 110 versions](#)**Scheduler activations: Effective kernel support for the user-level management of ...**

psu.ed

TE Anderson, BN Bershad, ED Lazowska, ... - ACM Transactions on ..., 1992 - portal.acm.org

... runs. – When a **thread traps** to the kernel to block (for example, because of a page fault), the processor on which the **thread** was running can be used to run another **thread** from the same or from a different address space. ... It is easy to change the policy for **scheduling** an ...

[Cited by 699](#) - [Related articles](#) - [All 193 versions](#)**The MIT Alewife machine: A large-scale distributed memory multiprocessor**

psu.ed

A Agarwal, D Chaiken, GD'Souza, K ... - Scalable shared ..., 1991 - books.google.com

... Context switches are also forced when a **thread** encounters a **delay** due to a synchronization ... logic in the cache controller, and ex- tra complexity in the **thread scheduling** mechanism. ... meet several objectives: it must context **switch** rapidly; it must support fast **trap** dispatching; and ...

[Cited by 335](#) - [Related articles](#) - [All 9 versions](#)**Using continuations to implement **thread** management and communication in ...**

psu.ed

RP Draves, BN Bershad, RF Rashid, RW ... - Proceedings of the ..., 1991 - portal.acm.org

... model, the kernel's address space cent ains one stack for every **thread** in the system, When a **thread traps** into ... This saved information is used to later **resume** the blocked **thread** in an appropriate state. ... First, every ad- dress space still required at least one kernel-level **thread** ...

[Cited by 196](#) - [Related articles](#) - [All 21 versions](#)**Multiple **threads** in cyclic register windows**

Y Hidaka, H Koike, H Tanaka - ACM SIGARCH Computer ..., 1993 - portal.acm.org

... Under adap- tive **scheduling**, the proposed scheme works well even for a small number of windows. ... it might be required to save another **thread's** window before restoring the missing win- dow of the current **thread** (see Figure 6). In Figure 6, an underjiow **trap** from **thread A** ...

[Cited by 29](#) - [Related articles](#) - [BL Direct](#) - [All 3 versions](#)**The PURE family of object-oriented operating systems for deeply embedded ...**

psu.ed

D Beuche, A Guerrouat, H Papajewski, W Schröder- ... - isorc, 1999 - computer.org

... 1. One way of operating the CPU is to let P URE run in- terruptedly. This family member merely supports low- level **trap**/interrupthandling. ... **scheduling** strategy code data **thread switch** time FCFS **thread** 2871 1052 94 FCFS same bundle 3391 1052 126 FCFS diff. ...

[Cited by 85](#) - [Related articles](#) - [All 29 versions](#)

[PDF] A library implementation of POSIX **threads under UNIX**

psu.ed

F Mueller - Proceedings of the USENIX Conference, 1993 - Citeseer

... error number is restored; the requested per-**thread** signal mask is restored and **pending** signals on ... These two **traps** consume most of the time required for a context **switch** and are ... on a multiprocessor and wakeups due to asynchronous events may cause the **thread** to **resume** ...

[Cited by 222](#) - [Related articles](#) - [View as HTML](#) - [All 35 versions](#)

[CITATION] Thread prioritization: a **thread scheduling mechanism formultiple- ...**

psu.ed

S Fiske, WJ Dally - First IEEE Symposium on High-Performance Computer ..., 1995

[Cited by 20](#) - [Related articles](#) - [All 15 versions](#)

Goxxxxxxxxxxxxxxxxxxxxoogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

trap + thread + (pending OR schedu Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google